

Ascent Capture® 7.5 Service Pack 2 Notes

10001582-000

Additional Documentation

The Ascent Capture 7.5 Service Pack 2 notes supplement the Ascent Capture 7.5 release notes.

Important Information About Ascent Capture 7.5 Service Pack 2 Notes

Ascent Capture 7.5 Service Pack 2 is a cumulative package and contains all features and problem resolutions from the previous Service Pack. Therefore, Service Pack 2 will also contain information from Service Pack 1.

New Features

This section contains information about a new feature provided with Ascent Capture 7.5 Service Pack.

Time Zone

Batches that are transferred to an Ascent Capture site in a different time zone are now correctly adjusted to local time zone differences. Therefore, a batch created at 7:00 a.m. Pacific Time in California will display a time of 10:00 a.m. Eastern Time when transferred to New York. In the previous release, the batch date and time values were not adjusted for the time zone difference when the batches were transferred between sites. (SPR 00025084)

Note that the system administrator can configure the default batch name to automatically include the local time zone. The default batch name will then display as:

<current date and time> <time zone indicator>

Where:

- *<current date and time>* is the date and time setting from the Windows Control Panel.
- *<time zone indicator>* is the difference between Greenwich Mean Time (GMT) and the local time. Note that the value is prefixed with a plus sign "+" or minus sign "-" to demonstrate the counterbalance (for example, -07:00). The time zone indicator only displays the hours and minutes.

This feature changes the following components:

- User tracking statistics: Time for the user tracking statistics will display the local time zone at the central site.
- Batch Manager module and Open Batch dialog box: The "Date" column heading has been changed to "Date & Time" to reflect the batch creation date and time.
- Batch Properties dialog box – General tab and Create Batch dialog box – General tab: The batch creation date and time are displayed according to the local time zone.
- Batch Properties dialog box – History tab: The batch history date and time are displayed according to the local time zone.

Date and time settings are formatted according to the Regional and Language Options in the Windows Control Panel.

Warning All the workstations at the local site must be on the same time zone.

Resolved Problems

This section contains information about issues that you can resolve by installing Ascent Capture 7.5 Service Pack 2.

KfxOcxEventBatchRejecting Event

You can now successfully cancel the KfxOcxEventBatchRejecting event and close the batch without an error. In the previous release, the batch reject flag was not cleared when the KfxOcxEventBatchRejecting event was cancelled. Therefore, if you attempted to suspend the batch, you would receive an error message. In addition, if you attempted to create a document to fix the loose pages, you would receive an error message and the batch would be routed to the Quality Control module. (SPRs 00022618, 00026787, and 00026788)

Folder Validation

You can now successfully use the Validated property for a custom panel to validate folders and documents in a batch. In the previous release, when a custom panel was set with this property equal to "True," documents were not skipped in the Validation module. (SPRs 00024952, 00026789, and 00026790)

Increasing Sample Rate

You can now successfully increase the Sample Rate on the Options dialog box in the Scan module and the view window will display the pages. In the previous release, when the Sample Rate was greater than one, no images were displayed in the view window. (SPRs 00027309, 00027697, and 00027698)

International Environments

ACI Server remote sites can now have different regional settings other than the central site. Prior to this release, the import and export date and time format did not include the universal time coordinate. (SPRs 00020297, 00022623, 00026129, 00027445, 00027446, and 00027447)

Error While Synchronizing Batch Classes

The Ascent Capture Internet Server (ACI Server) will now read non-standard characters. In the previous release, the following error message was returned when a batch class configuration file contained delimiters that did not fall within the default character set. (SPRs 00025489, 00027699, and 00027700)

Error while synchronizing batch classes: (-2146232000). Error while transferring file (Ascent\PubTypes\00000001.PUB\00000001.unv) from server (" , hexadecimal value 0x1D, is an invalid character. Line 10, position 26.), Station ID: LONAPDMGDEMO (LONAPDMGDEMO). "

Object Deleted Error Message

A problem with simultaneous display of the Open Batch dialog box on two workstations has been resolved. Prior to this release, the first workstation would process the batch and release successfully. However, when the second workstation attempted to process the same batch from

the Open Batch dialog box, the following error message would display. In addition, when the user attempted to close the error message, the application would also close. (SPRs 00027443, 00027701, and 00027702)

Object deleted error - object deleted.

Switching From MSDE to SQL Server

A problem with switching from a Microsoft MSDE database to a SQL Server database or vice versa has been resolved. In some cases, records were not copied to the new database and the following error message would display. (SPRs 00022603 and 00027474)

The requested object could not be found on the database. The database must be refreshed.

Collection of CustomProperty Objects

You can now successfully view the collection of CustomProperty objects via the Ascent Capture API. Prior to this release, you could not access these properties in a custom module, such as the sample OCXPanel shipped with Ascent Capture. (SPRs 00025994 and 00027703)

Image Folder

During remote synchronization, an error message will now display when the Ascent Capture Internet Server (ACI Server) is not able to access the image folder in a batch. (SPR 00021401)

Data Entry Mode

A problem with the Data Entry mode has been resolved. In the previous release, when you switched from the Batch Editing mode to the Data Entry mode, the batch editing functions remained active. (SPRs 00026590 and 00026812)

Ascent Capture Email Import Service

You no longer need to manually restart the Ascent Capture Email Import Service (ACEI Service) after the installation of an Ascent Capture Service Pack. The ACEI Service will automatically restart after the installation. (SPRs 00022550 and 00022703)

Problems Resolved in Ascent Capture 7.5 Service Pack 1

This section contains information about issues that you can resolve by installing the previous Service Pack. Note that Ascent Capture 7.5 Service Pack 2 is a cumulative package and will also contain the information from Ascent Capture 7.5 Service Pack 1.

Folder Index Field Values

The Validation module will no longer move folder index fields down when using a SQL Server database. In the previous release, when you created a folder, indexed the fields, and then suspended the batch, the Validation module would move the fields down. In other words, the last index field would become the first index field and each subsequent index field would move down one row. The problem was more apparent on a SQL Server 2005 32bit Edition. (SPRs 00026289 and 00026402)

Recognition Server Module

The Recognition Server module will now successfully process all the documents in a batch. In the previous release, when using page-level bar codes, separation would occur correctly; however, only the first and last documents would contain data for the index fields. (SPRs 00025503 and 00025799)

Memory Leak

You can now successfully process a large number of batches with color documents through the Release module. Prior to this release, the Release module would experience a memory leak when processing a large number of batches with color documents on a dual processor system. As a result, the Release module would display an error message similar to the following. (SPRs 00024916, 00025564, and 00025565)

CKfxException: 0x00000230 FPS Color: An unspecified error occurred. The image could be an unsupported file format.

Ascent Capture Email Import Service

The Ascent Capture Email Import Service (ACEI Service) will no longer display the following error message and then stop responding. (SPRs 00025464 and 00025487)

An error has occurred while logging onto Ascent Capture: QueryInterface for interface Kofax.AscentCaptureModule._ImportLogin failed.

Front Delete Blank Page Threshold

When using the “Front delete blank page threshold” option with patch code separation enabled, the pages following the deleted separator sheet will now successfully separate. (SPRs 00025477 and 00025547)

Defining Index Fields on Sample Pages

A problem with defining index zones solely on the second sample page has been resolved. In the previous release, you would need to define index zones on the first *and* second sample pages. If you only defined index zones on the second sample page and not the first, the data from the zones would simply be ignored at data capture time. (SPRs 00019057 and 00025815)

Importing XML

Blank batch fields that are not required will no longer be replaced with a “????” string when the custom module imports the XML. In the previous release, when you viewed the properties of the batch in the Batch Manager module, you would notice that the blank field would display with the “????” string. (SPRs 00024804 and 00025816)

Batch Totals

You can now successfully enter a batch total that has a value greater than 999 on the Totals tab and then change focus to another tab. In the previous release, when the focus was removed from the Totals tab on the Create Batch dialog box, you would receive an “Invalid Number” error message. The problem occurred because the Totals tab was not able to go through the proper sequence of events to save a batch value that was greater than 999. Therefore, when the Totals tab refreshed, it would add commas to the value. For example, a batch total value of 1000.00 would become 1,000.00. (SPR 00018170)

Page Level Bar Codes on Color Images

Page level bar codes will now be recognized on color images when the Enhanced Bar Code Engine is not used. In the previous release, page level bar codes on color images were shown with no values at Validation. (SPRs 00010360 and 00013895)

VRS QC Later

You can now successfully use VRS QC Later. In the previous release, when you attempted to open a rejected page in the Quality Control module using VRS QC Later, an error message similar to the following would display. (SPRs 00026068 and 00026193)

Unable to import electronic document. [32 – The process cannot access the file because it is being used by another process.

Remote Synchronization Agent (RSA)

The Remote Synchronization Agent (RSA) will now successfully download batches that contain the backslash (\) and newline character. In the prior release, the RSA would return an error message similar to the following when the batch contained the backslash and newline character. (SPRs 00026356 and 00026307)

KdoLib: Value contains an invalid escape sequence. A backslash followed by a carriage return or line feed is not permitted.

Refresh Tree Error Message

A problem has been resolved that caused an unnecessary error message to appear when a custom panel was present in the Validation or Verification module. Prior to this release, the following error message would appear each time a batch was closed. (SPR 00024753)

Refresh Tree Error -21474178748 Automation error. The object invoked has disconnected from its clients. AscentCaptureModule 0.

Installing Ascent Capture 7.5 Service Pack 2

This section contains important notes that you should review before installing Ascent Capture 7.5 Service Pack 2.

Important Note About Ascent Capture 7.5 Service Pack 2

The Ascent Capture 7.5 Service Pack 2 has been fully tested and certified with Ascent Capture 7.5. However, as with any Service Pack, we recommend that you install and test Ascent Capture 7.5 Service Pack 2 in a development environment first before applying it to your production environment. Note that we recommend that you review the Technical Support Web pages for any late-breaking information and up-to-date certified operating system requirements. Visit the Web site at www.kofax.com.

Important Note About the Installation

In order to install Ascent Capture 7.5 Service Pack 2, you must have full Windows administrator privileges.

The Ascent Capture 7.5 software must be installed prior to installing Ascent Capture 7.5 Service Pack 2. Note that we recommend that you review the Technical Support Web pages for any late-breaking information and up-to-date certified operating system requirements. Visit the Web site at www.kofax.com.

Note We recommend that you review the Ascent Capture 7.5 Release Notes before installing Ascent Capture 7.5 Service Pack 2 as they contain important information about Ascent Capture, including known limitations, certification information, installation requirements, and Windows Service Pack issues.

Close All Applications

Before installing Ascent Capture 7.5 Service Pack 2, you must close all applications. This means that all of the Ascent Capture modules on every workstation must be closed, including the Ascent Capture Internet services, and any third-party applications. Note the following:

- If the remote sites have any Ascent Capture services running, you must stop these services before installing Ascent Capture 7.5 Service Pack 2. Note that the services must remain stopped until Ascent Capture 7.5 Service Pack 2 is installed.
- We recommend that you stop all Ascent Capture modules running as a service, including the Ascent Capture Licensing Service (Ascent Capture Service), Recognition Server, and Ascent Capture Email Import Service (ACEI Service). The services must remain stopped until Ascent Capture 7.5 Service Pack 2 is installed.

Installation Instructions for Ascent Capture 7.5 Service Pack 2

Use the following instructions to install Ascent Capture 7.5 Service Pack 2.

Note When installing Ascent Capture 7.5 Service Pack 2, you must update the server first. Then, you can update the client workstations. For a server installation, the update must be performed on the computer where the server software is installed. Client workstation, remote site, and standalone installations must be updated on the computer where the current installation exists.

► To install Ascent Capture 7.5 Service Pack 2

- 1 Download Ascent Capture 7.5 Service Pack 2 from the Kofax Web site. The file that downloads is a self-extracting executable that contains Ascent Capture 7.5 Service Pack 2.
- 2 Run the executable file to install Ascent Capture 7.5 Service Pack 2.
- 3 Follow the instructions on your screen. When the installation is complete, a message will display that indicates Ascent Capture 7.5 Service Pack 2 was successfully installed.

Note If you are performing a Service Pack installation on an existing Ascent Capture Internet Server at the central site, the Service Pack will be made available to the remote sites via the Remote Synchronization Agent (RSA) upon completion of the installation. Note that the Service Pack installer will be located in the Ascent folder.

Uninstalling Ascent Capture 7.5 Service Pack 2

This section contains important notes that you should review before uninstalling Ascent Capture 7.5 Service Pack 2.

Note that when you uninstall Ascent Capture 7.5 Service Pack 2, you are returning the workstation back to its original state before any Ascent Capture Service Packs were applied.

Administrative Privileges

In order to uninstall Ascent Capture 7.5 Service Pack 2, you must have full Windows administrative privileges.

Uninstallation Instructions for Ascent Capture 7.5 Service Pack 2

Use the following instructions to uninstall Ascent Capture 7.5 Service Pack 2.

► To uninstall Ascent Capture 7.5 Service Pack 2

- 1 Start the uninstallation as follows:
 - For Microsoft Windows XP, select Start | All Programs | Ascent Capture 7.5 | Uninstall Service Pack 2.
 - For other operating systems, select Start | Programs | Ascent Capture 7.5 | Uninstall Service Pack 2.
- 2 Follow the instructions on the screen to uninstall the Ascent Capture 7.5 Service Pack 2.

Note Ascent Capture 7.5 Service Pack 2 is installed as a component of the Ascent Capture 7.5 program. Therefore, Ascent Capture 7.5 Service Pack 2 will not display in the list of installed programs in the Add or Remove Programs utility from the Windows Control Panel.

Technical Support

For additional technical information about Kofax products, visit the Kofax Web site at www.kofax.com and select an appropriate option from the Support menu. The Kofax Support pages provide product-specific information, such as current revision levels, the latest drivers and software patches, online documentation and user manuals, updates to product release notes (if any), technical tips, and an extensive searchable knowledgebase.

The Kofax Web site also contains information that describes support options for Kofax products. Please review the site for details about the available support options.

If you need to contact Kofax Technical Support, please have the following information available:

- Ascent Capture software version
- Ascent Capture Internet Server software version
- Operating system and Service Pack version
- Network and client configuration
- Copies of your error log files
- Scanner make and model
- Scanner engine (board) type
- Special/custom configuration or integration information